





CONTACTEZ-NOUS

MEDIMAGE 20 rue François Coli 34130 MAUGUIO 04 99 13 61 08 fatima.tebbay@medimage.fr



# FULL-HD 69 Series





### **VIS-69 VIDEO CENTER**

- Full-HD excellent image resolution.
- Image capturing and video recording can be stored USB disk.
- Review stored image and video anytime.
- 2.5x electronic magnification.
- Assign one file for each case and patient data is editable with keyboard.
- All-in-one design with processor, LED light source and 12 inch HD monitor.





#### • Enhanced Full-HD Image Quality

The megapixel CMOS sensor and new VIS-69 video center to deliver clear, high-resolution image.It allows superior visualization for Full HD display.



Full-HD



HD

#### Superior Usability All-in-one Video Center

Compact design with video processor, LED light source and 12 inch monitor in one unit, portable and space-saving. Whether it is treatment in the operating room or outdoor treatment environment, VIS-69 offers a simple solution.

#### Newly Documentation System

The VIS-69 provides video recording, image capturing, playback function and data filling with keyboard. It is simple that improve vet's workflow





#### High Compatibility

High-quality EC-69 camera head can be compatible with video endoscopes, rigid endoscopes and fiberscopes makes the VIS-69 video center more posssible.

### **69 SERIES VIDEO ENDOSCOPES**



#### Various Scope

69 series has the most complete endoscope style, suitable for the small mammal to large animals and marine animals.

#### • Light-weight and Ergonomics

The light weight and slim grip makes the scope fits the hand and greatly reduces fatigue caused by long time operation.



#### • Slim Design

The newly AVB-69PS provides 3.2mm outer diameter of the distal end . The shape of the scope tip is easy passage through the kittens, puppies and small breed dogs.



#### • Extended Length

The classcial scope AGVE-69HAL is the best choice for application in large animals. The 3300mm working length is very suitable for the equines and marine animals and it reaches 180° angel of bending



### 69 SERIES SPECIFICATIONS


VIS-69 SPECIFICATION						
Lamp	LED Lamp					
Color temperature	5500K					
Average working life	35000 hours					
Brightness adjustment	Manually					
Image setting function	Automatic white balance, Sharpness adjustment, Color adjustment, Saturation adjustment, Contrast adjustment, Brightness adjustment, Electronic magnification, Noise reduction, IRIS					
Output format	Full-HD					
Digital signal output	DVI *2					
Freeze	Yes					
Image capture and Video recording	Yes, can be stored USB disk					
Review	Image and video can be reviewed					
Data management	Assign one file for each case and patient data is editable					

GASTROSCOPE SPECIFICATION								
Model	AGVE- 69HP	AGVE- 69PQ	AGVE- 69HS	AGVE- 69HB	AGVE- 69HBH	AGVE-69HAL		
Field of view	120° 145°					145°		
Depth of view	3–100mm							
Bending capability	UP/Down: 210° / 90° Left/Right:100° / 100°					Up/Down:180 %180° Left/Right: 160%160°		
Distal end OD	6.0mm	8.0mm	8.0mm	9.6mm	9.6mm	12.9mm		
Insertion tube OD	6.0mm	8.0mm	8.0mm	9.6mm	9.6mm	12.9mm		
Working channel ID	2.0mm	2.8mm	2.2mm	2.8mm	2.8mm	3.7mm		
Working length	1050mm	1500mm	1500mm	1500mm	2000mm	3300mm		

BRONCHOSCOPE SPECIFICATION							
Model	AVB-69HQ	AVB-69HQL	AVB-69PS				
Field of view	120°						
Depth of view	2–50mm						
Bending capability	UP/Down:180° / 130°						
Distal end OD	5.6mm	5.6mm	3.2mm				
Insertion tube OD	5.3mm	5.3mm	3.2mm				
Working channel ID	2.0mm	2.0mm	1.2mm				
Working length	600mm	1000mm	700mm				

## ACCESSORY

### Compatible with GI endoscope and bronchoscope



ENDOSCOPY TROLLEY

- 4 Secure shelves, easy to access to all the equipment in the endoscopy unit
- 1 Adjustable arm, supporting 2 endoscopes
- 1 Drawer, convenient for stuff storage
- 4 Castor including 2 lockable ones, easy for trolley moving and locking
- 4 Power sockets with central power button and bright LED power-on indicator

